

**AMENDMENTS TO THE CLAIMS**

**Please amend Claims 1, 2, 4, 5, 10, 11, 13, 14, 19, 23, 27 and 28. Please add new Claims 31-35.**

1. (Currently Amended) The method comprising:  
generating source code corresponding to a block diagram model; and  
~~generating providing a~~ hypertext links in a listing of the generated source code to  
~~associates~~associating an element[[s]] of the generated source code with an element[[s]] of the  
block diagram model.
2. (Currently Amended) The method of claim 1 further comprising:  
displaying the source code and the hypertext link[[s]] on a display;  
receiving input from a user representing a selection of ~~one of~~ the hypertext link[[s]]; and  
displaying to the user at least a portion of the block diagram model including the element  
of the model associated with the hypertext link.
3. (Original) The method of claim 2, wherein displaying to the user at least a portion of the  
block diagram model comprises displaying the associated element in a highlighted fashion.
4. (Currently Amended) The method of claim 1, wherein ~~at least one of~~ the associated  
element[[s]] in the generated source code is a commented reference to a block in the block  
diagram model.
5. (Currently Amended) The method of claim 1, wherein ~~at least one of~~ the associated  
element[[s]] in the generated source code is a variable reference in an operative code section.
6. (Original) The method of claim 1 wherein the hypertext link is Standard Generalized Markup  
Language (SGML).
7. (Original) The method of claim 1 wherein the hypertext link is Hypertext Markup  
Language (HTML).

8. (Previously Presented) The method of claim 5 wherein the hypertext link is Extensible Markup Language (XML).

9. (Previously Presented) The method of claim 4 wherein the commented reference to a block comprises a character string identifying a path to a file providing information relating to a section of the block.

10. (Currently Amended) A system comprising:

means for generating source code corresponding to a block diagram model; and

means for ~~generating~~ providing a hypertext link[[s]] in a listing of the source code that associates-associating an element-elements of the generated source code with an element ~~elements~~ of the block diagram model.

11. (Currently Amended) The system of claim 10 further comprising:

means for displaying the source code and the hypertext link ~~links~~ on a display;

means for receiving input from a user representing a selection ~~of one of~~ of the hypertext linklinks; and

means for displaying to the user at least a portion of the block diagram model including an the element of the model associated with the hypertext link.

12. (Previously Presented) The system of claim 11, wherein the means for displaying to the user at least a portion of the block diagram model comprises displaying the associated element in a highlighted fashion.

13. (Currently Amended) The system of claim 10, wherein ~~at least one of~~ the associated element ~~elements~~ in the generated source code is a commented reference to a block in the block diagram model.

14. (Currently Amended) The system of claim 10, wherein ~~at least one of~~ the associated element[[s]] in the generated source code is a variable reference in an operative code section.

15. (Previously Presented) The system of claim 10 wherein the hypertext link is Standard Generalized Markup Language (SGML).

16. (Previously Presented) The system of claim 10 wherein the hypertext link is Hypertext Markup Language (HTML).

17. (Previously Presented) The system of claim 16 wherein the hypertext link is Extensible Markup Language (XML).

18. (Previously Presented) The system of claim 13 wherein the commented reference to a block comprises a character string identifying a path to a file providing information relating to a section of the block.

19. (Currently Amended) A computer program product residing on a computer readable medium having instructions stored thereon which, when executed by the processor, cause the processor to:

generate source code corresponding to a block diagram model; and  
generate-providing a hypertext link[[s]] in the listing of the generated source code  
associating to associate an element[[s]] of the generated source code with an element[[s]] of the block diagram model.

20. (Original) The computer program product of claim 19 wherein the computer readable medium is a random access memory (RAM).

21. (Original) The computer program product of claim 19 wherein the computer readable medium is read only memory (ROM).

22. (Original) The computer program product of claim 19 wherein the computer readable medium is hard disk drive.

23. (Currently Amended) A processor and a memory configured to:

generate source code corresponding to a block diagram model; and

~~generate providing a hypertext links to associate associating an element~~[[s]] of the generated source code with an element[[s]] of the block diagram model.

24. (Original) The processor and memory of claim 23 wherein the processor and the memory are incorporated into a personal computer.

25. (Previously Presented) The processor and memory of claim 23 wherein the processor and the memory are incorporated into a network server capable of Internet communication.

26. (Original) The processor and memory of claim 23 wherein the processor and the memory are incorporated into a single board computer.

27. (Previously Presented) A method for generating a document having information about source code associated with a graphical model and providing a hyperlink referencing an element of the graphical model in the document, the method comprising the steps of:

providing source code identifying an element of a graphical model;  
generating a document comprising information about the source code; and  
providing, in the document, a hyperlink referencing the element of the graphical model.

28. (Previously Presented)) The method of claim 27 comprising selecting the hyperlink to one of display or identify the referenced element in the graphical model.

29. (Previously Presented) The method of claim 27 comprising providing the hyperlink at a location in the document having information about a portion of source code identifying the element of the graphical model.

30. (Previously Presented) The method of claim 27 wherein a portion of the document comprises a markup language.

31. (New) The method comprising:

generating source code corresponding to an executable block diagram model; and

generating hypertext links associating elements of the source code with elements of the executable block diagram model.

32. (New) The method of claim 31 further comprising:

displaying the source code and hypertext links on a display;  
receiving input from a user representing a selection of one of the hypertext links; and  
displaying to the user at least a portion of the executable block diagram model including an element of the model associated with the hypertext link.

33. (New) The method of claim 31, wherein at least one of the associated elements in the generated source code is a commented reference to a block in the executable block diagram model.

34. (New) The method of claim 31, wherein at least one of the associated elements in the generated source code is a variable reference in an operative code section.

35. (New) The method of claim 1, wherein the step of providing comprises replacing an element in the source code listing with the hypertext link.